RL

A99-1

A99-2

A99-3

K0200

K0600

K7010-05



Cut Out



Product Number		Dimensions	Weight	Lot
K0600 key	A99-1	46	108.5	200
Double bit insert	A99-2	46	109.5	200
K0200 key	A99-3	24	393.5	200

- Material:Zinc die-casting body,Nut, Zinc plating cam
- Finish:Gray chrome plating
- Panel thickness:1~5mm





Cut Out



Product no.	Weight	Lot
AB7007Z-1-1	83.8	150

RL IP54

AB7007Z-1-1

- Material:zinc die-casting lock housing,cylinder and nut,zinc plating cam,stainless steel dustproof cap.
- Finish:bright chrome plating
- Function: 90° open
- Panel thickness:1~5mm

RL IP54

AB7006Z-1-1



Cut Out



Product no.	Weight	Lot
AB7006Z-1-1	76.5	150

- Material:zinc die-casting lock body, cylinder and nut, zinc plating steel cam
- Finish:bright chrome plating
- Mechanism:90° open
- Panel thickness:1~8mm.





Cut Out



Product no.	Weight	Lot
GCS	85	500

RL

K7010-11

GCS

- Material: Zinc die-casting cylinder and Key,M.S. Zinc plating lock body cam、fixing parts
- Finish:yellow zinc plating
- Panel thickness:1.5~3mm

RL IP54

GGD-1



- Material:Zinc die-casting body Key,M.S. Zinc plating lock body cam、fixing parts
- Finish:yellow zinc
- Panel thickness:1.5~3mm

Product no.	Weight	Lot
GGD-1	335.5	50



RL IP54

MS1003Z-1-1

- Material :zinc die-casting handle , stainless steel housing ,cam and nut.
- Finish :black powder coated for the handle.
- Panel thickness:1-5mm.
- Remark:8x8 cut out

RL

GGD-2



- Material:Zinc die-casting body Key,M.S. Zinc plating cam;
- Finish:yellow zinc
- Panel thickness:1.5~3mm.

Product no.	Weight	Lot
GGD-2	74	200



Product no.	Weight	Lot
MS200	32	500

RL

MS200

- Material:ABS housing,nut, zinc die-casting cylinder and key Zinc plating cam
- Finish: Matt black
- Panel thickness:0.5~2.5mm

RL IP54

MS238-1-1



MS238-1-2



Product Number		Weight	Lot
With key	MS238-1-1	126	200
w/o key	MS238-1-2	113	200

- Material:Zinc die-casting body , Zinc plating cam.
- Finish:Black powder coated
- Panel thickness:1~6mm



Dimensions		Insert	Product Number		
H1	H2		zinc die-casting body	Weight	Lot
20	20	K0400	MS401-1	62.5	200
21	16	K8180	MS401-2	100	200

RL IP54

K0400

MS401-1

K8180

MS401-2

- Material:Zinc die-casting or Plastic body is available, zinc plating steel nut and cam
- Finish:Bright chrome plating ,
- Panel thickness:1~6mm

RL IP54

MS238-1A-1



Product no.	Weight	Lot
MS238-1A-1	140	200

- Material:Zinc din-casting body, zinc plating steel cam
- Finish: black powder coated
- Panel thickness:1~5mm



Dimensions			Product Number		
L	H	∅	K0700 insert	Weight	Lot
39	30	23.5	MS402-1	64	300
29	20	22.5	MS402-2	45	500
29	16	22.5	MS402-3	46.5	400

RL IP54

MS402-1

K0400

MS402-2

MS402-3

- Material:Zinc die-casting body , Nut, Zinc plating cam
- Finish: Bright chrome plating, Gray chrome plating
- Panel thickness:1~10mm

RL IP54

MS403-1

MS403-2

K8180

MS403-2GT



Dimensions	Product Number				
H	Stainless steel cover	Bright chrome plating	K8180 insert	Weight	Lot
20	MS403-1	MS403-1G		50	500
16	MS403-2		MS403-2GT	43	500

- Material:Zinc die-casting body,Nut, stainless stee face cover Zinc plating cam
- Panel thickness:1~10mm
- Remark: The item No of K8180 brass cylinder is MS403-2GT



Product no.	Weight	Lot
MS405-1-1	105.4	200

RL IP54

MS405-1-1

- Material:zinc die-casting body , cylinder, Nut,Zinc plating cam;
- Finish:bright chrome plating
- Panel thickness:1-7mm;

RL

MS404-1-2





Product no.	Weight	Lot
MS404-1-2	78	400

- Material:Zinc die-casting body , Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~3mm



Product no.	Weight	Lot
MS406	83	200

RL

MS406

- Material:ABS knob,zinc die-casting body, nut, Zinc plating cam
- Finish:black
- Panel thickness:1~7mm

RL IP54

K0600

MS407-1

MS407-2

- Material:Zinc die-casting body , Nut, M.S. Zinc plating cam、fixing parts
- Finish: Black powder coated
- Panel thickness:1~8mm.



MS407-1



MS407-2

Cut Out



MS407-1



MS407-2

Product Number									
Zinc die-casting housing						Aluminium housing					
K0600 key	Weight	Lot	K0200 key	Weight	Lot	K0600 key	Weight	Lot	K0200 key	Weight	Lot
MS407-1	74	300	MS407-1C	72	300	MS407 -1A	59	300	MS407 -1CA	56	300
MS407-1T(turn90°)	74	300	MS407-1CT(turn90°)	72	300						
MS407-2	53	300									



Cut Out



Cut Out

Product no.	Weight	Lot
MS408-2-1	77	300
MS408-3-1	56.5	500

RL IP54


MS408-2-1

MS408-3-1

- Material:Zinc die-casting body , Nut, Zinc plating cam
- Finish:Black powder coated
- Panel thickness:1~6mm

RL IP54 Water Proof

K333

MS408-1-1

- Material:Zinc die-casting body , Nut, Zinc plating cam
- Finish:Black powder coated
- Panel thickness:1~6mm







Cut Out



Product Number								
with key	Weight	Lot	without key	Weight	Lot	different cam	Weight	Lot
MS408-1-1	153	200	MS408-1-2	150	200	MS408-1-1T	145.5	200





Cut Out



Dimensions	Product Number	Weight	Lot
H			
23	MS409-1	70	250
13	MS409-2	11.5	250

RL IP54

MS409-1

MS409-2

- Material:Zinc die-casting body Nut, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~6mm

RL IP54

MS410



Insert type	Product Number	Weight	Lot
K097	MS410	47.5	400
K0200	MS410C	59	400

- Material:Zinc die-casting body Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~9mm

RL

MS411



	Product no.	Weight	Lot
K0120 key	MS411	61	400
K0200 key	MS411C	71	400

- Material:Zinc die-casting body,Nut, Zinc plating cam;washer
- Finish: Bright chrome plating
- Panel thickness:1~9mm



Product no.	Weight	Lot
MS412	73	300

RL

MS412

- Material:Zinc die-casting body,Nut, Zinc plating cam;washer
- Finish: Nickel plating
- Panel thickness:1~20mm

RL

MS413Y

MS413F



Product Number		Weight	Lot
Round housing	MS413Y	66	300
Square housing	MS413F	74	300

- Material:Zinc die-casting body,Nut, Zinc plating cam;washer
- Finish: Bright chrome plating
- Panel thickness:1~6mm

RL IP54

MS414



Cut Out



- Material:Zinc die-casting body , plastic knob, M.S. Zinc plating cam
- Finish: gray
- Panel thickness:1~6mm

Product no.	Weight	Lot
MS414	91	200



Cut Out



Product no.	Weight	Lot
MS416	53	200

RL

MS416

- Material:Zinc die-casting body,Nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~2mm

RL IP54

MS415



Cut Out



- Material:Zinc die-casting body , Nut, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~6mm

Product no.	Weight	Lot
MS415	60	300



Cut Out



Product no.	Weight	Lot
MS417	52	300

RL

K0200

MS417

- Material:Zinc die-casting body , Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~4mm

RL IP54

MS418

- Material:Zinc die-casting body，Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~10mm
- Remark:padlockable lock.





Cut Out



Product no.	Weight	Lot
MS418	78	300







Cut Out



Dimensions			Product Number	Weight	Lot
GH	BH	L			
38	9.5	24	MS425-1-1JC	130	200
	5	27	MS425-2-1JC	125	200
24.7	9.5	24	MS425-1-1	105	200
	5	27	MS425-2-1	102	200

RL

MS425-2-1

Circle the key　　The key to

- Material:Zinc die-casting body，Zinc plating Buckle and cam
- Finish: Gray chrome plating
- Panel thickness：1~5mm
- Remark:Square and round keys are available

RL

MS424

- Material:Zinc die-casting housing and handle
- Finish:Bright chrome plating
- Panel thickness:1~12mm
- Remark:Cam cutout□8x8





Cut Out



Product no.	Weight	Lot
MS424	63.5	400





Cut Out



Product no.	Weight	Lot
MS426-1-1		

MS426-1-1

- Material:steel housing,insert,nut
- Finish:Bright chrome plating
- Panel thickness:1-4mm

RL IP54

MS427



Cut Out



- Material:Zinc die-casting body and insert,Zinc plating cam
- Finish: Matt black
- Panel thickness:1~2mm

Product no.	Weight	Lot
MS427	16.5	200



Cut Out



Product no.	Weight	Lot
MS429	153	150

RL

MS429

- Material： Zinc die-casting lock housing and cylinder ,zinc plating steel cam
- Finish: Bright chrome plating
- Panel thickness: 1~20mm
- Remark: cutout □8×8

RL IP54

MS428





Cut Out



- Material : Stainless steel panel ,Zinc die-casting housin&cylinder, nickel plating steel key
- Finish: Bright chrome plating
- Panel thickness: 1~4mm

Product no.	Weight	Lot
MS428	63	200





Cut Out



Product no.	Weight	Lot
MS430-1-1	226.5	100

RL IP54

MS430-1-1

- Material： Zinc die-casting body and cylinder , zinc plating cam
- Finish: Bright chorme plating
- Panel thickness: 1~20mm
- Remark: cutout □8x8

RL



MS431-1-1



Cut Out



- Material:Zinc die-casting handle and housing
- Finish: Black powder coated Gray chrome plating
- Panel thickness:1~6mm
- Remark:cam cutout □8×8

Product no.	Weight	Lot
MS431-1-1	185	150



Cut Out



Product no.	Weight	Lot
MS433-1	53	500

RL

MS433-1

- Material:Zinc die-casting housing handle, Zinc plating cam
- Finish: bright chrome plating
- Panel thickness:1~4mm
- Remark: cam cutout□7X7,90 Degree positioning

RL IP54

MS432-1



Cut Out



- Material:Zinc die-casting housing 、 insert, Zinc plating cam
- Finish: bright chrome plating
- Panel thickness:1~3mm
- Remark:K0432

Product no.	Weight	Lot
MS432-1	65	400



Cut Out



Product no.	Weight	Lot
MS434	25	500

RL

MS434

- Material:ABS housing、handle、 Aluminum nut、Zinc plating cam
- Finish: black
- Panel thickness:1~6mm
- Remark：cam cutout □8×8

RL

MS435-1-1



Cut Out



- Material: Nickel plating lock housing , cylinder and cam;,Stainless steel waterproof cover
- Finish: Nickel Plating
- Panel thickness:1~8mm

Product no.	Weight	Lot
MS435-1-1	113.5	200



Cut Out





Product no.	Weight	Lot
MS439-1-1	117.5	200

RL IP54

MS439-1-1

- Material:Zinc die-casting body
- Finish: Nickel plating
- Panel thickness:4~8mm

RL IP54

MS438-1-1

MS438-1A-1



Cut Out



- Material: zinc die-casting lock housing and cylinder, zinc plating steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm

Product no.	Weight	Lot
MS438-1-1	50	300
MS438-1A-1	30.5	300



Cut Out





Product no.	Weight	Lot
MS440-1-1	116.5	100

RL IP54

MS440-1-1

- Material : Zinc alloy
- Finish: Nickel plating
- Panel thickness: 1~19mm

RL IP54

MS441-1-1



Product no.	Weight	Lot
MS441-1-1	17	500

- Material:Zinc die-casting body , Nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~6mm



Dimensions														Product Number	Weight	Lot
L1	L2	L3	L4	L5	B1	B2	B3	H1	δ	∅1	∅2	∅3	□			
125	100	76	76.5	33	27.5	27	24	15.5	2.3	10	6	6.3	8.2	MS613-1-1	164.5	200
101	81	64	64.5	25	18.5	18	18	11	2	9	5	5.3	7.2	MS613-2-1	72	500

RL

MS613-1-1

MS613-2-1

- Material:steel body,zinc alloy tone
- Finish :white zinc plating

RL

MS518



Product no.	Weight	Lot
MS518	261	100

- Material:Zinc die-casting body Nut, Zinc plating cam,washer
- Finish: Bright chrome plating
- Panel thickness:1~15mm.



Product no.	Weight	Lot
MS614-1-1	345	200

RL

MS614-1-1

- Material:Stainless steel lock shell、Lock cover,Zinc die-casting seat
- Finsih: brushed
- Panel thickness:1~5mm

RL

K7010-11

MS702





Cut Out



Product Number		Weight	Lot
Bluish green	MS702.9	91	200
Matt black powder coated	MS702.4	92	200

- Material:Zinc die-casting body
  Zinc plating cam
- Finish: Bluish green,Matt black powder coated
- Panel thickness:1~8mm

RL

K7010-11

MS704-1





Cut Out



Dimensions		Product Number					
L1	L2	double bit insert	Weight	Lot	triangular insert	Weight	Lot
28	18	MS704-1	102	400			
28.5	19.5	MS704-2	120	400			
35.8	19.3	MS704-4	110	400	MS704-3	105	400
37	20.5	MS704-5	103.5	400			

- Material:Zinc die-casting body , Nut,steel insert
- Finish: Bright chrome plating
- Panel thickness:1~5mm

MS705-1-1/-2/-3



Cut Out





MS705-2-1/-2/-3



Cut Out



MS705-2S-1/-2/-3/-4



Cut Out





Product no.	Finish	Insert	Weight	Lot
MS705-1-1.1	Chrome plating	slot insert	80	500
MS705-1-2.1		double bit insert	76	500
MS705-1-3.1		s insert	72	500
MS705-2-1.1	Chrome plating	double bit insert	74.5	500
MS705-2-2.1		triangular insert	77	500
MS705-2-3.1		square insert	74.5	500
MS705-2S-1	Stainless steel	slot insert	86	500
MS705-2S-2		double bit insert	80.5	500
MS705-2S-3		triangular insert	78	500
MS705-2S-4		square insert	80.5	500

RL IP50

MS705-1-1

MS705-1-2

MS705-2-2

MS705-2-3

K7010-05

MS705-2S-1

K7030-07

MS705-2S-2

MS705-2S-3

K7040-01

MS705-2S-4

- Material:Zinc die-casting and stainless steel lock body are available
- Panel thickness:1~5mm

RL

K7010-12

MS705-3



- Material:Plastic lock body,nut.key
- Finish: grey, black
- Panel thickness:1.5~2mm

Product no.	Weight	Lot
MS705-3	31.5	200



Dimensions				Product Number											
				Sage green						Black powder coated					
cam tpyes	H	L1	L2	Square insert	Weight	Lot	Double bit insert	Weight	Lot	Square insert	Weight	Lot	Double bit insert	Weight	Lot
Height=2	16.4	15	30	MS705-5 -4.9	112	300	MS705-5 -2.9	115	300	MS705-5 -4.3	112	300	MS705-5 -2.3	115	300
Height=32.5	51	22.5	34	MS705-5 -3.9	120	300	MS705-5 -1.9	125	300	MS705-5 -3.3	120	300	MS705-5 -1.3	125	300

RL Water Proof

MS705-5-2

K7010-10

- Material:Zinc die-casting body
  Zinc plating cam
- Finish: Sage green
  Black powder coated
- Panel thickness:1~5mm

RL Water Proof

K7040-07

MS705-4-1



- Material:Zinc die-casting body
  Zinc plating cam、nut;
- Finish: Bright chrome plating
- Panel thickness:1~5mm

Dimensions	Product no.	Weight	Lot
H			
18	MS705-4-1	46.5	300
35	MS705-4-2	75	300
42	MS705-4-3	95	300



Product no.	Weight	Lot
MS705-7	108.7	500

RL IP54

MS705-7

- Material:Zinc die-casting body
  Zinc plating cam、nut;
- Finish: Bright chrome plating
- Panel thickness:1~5mm

RL IP54

MS705-8-1







Cut Out



- Material:zinc alloy housing and cylinder.
- Finish:matt black.
- Panel thickness:1-5mm.

Product no.	Weight	Lot
MS705-8-1	50.3	500



Cut Out



Product no.	Weight	Lot
MS7060P-2-1	43	500

RL IP54

MS7060P-2-1

- Material: PA6 lock housing, zinc alloy lock cylinder stainless steel locking plate
- Finish: black
- Panel thickness :1~4mm

RL



MS706





Cut Out



- Material:Zinc die-casting body M.S. Zinc plating nut cam
- Finish: Bright chrome plating
- Panel thickness:1~5mm

Product no.	Weight	Lot
MS706	98	200



Cut Out



Product Number		Weight	Lot
□8	MS7062Z-1-1R	132	200
□8	MS7062Z-1-1L	132	200
□7	MS7062Z-1A-1R	130	200

RL IP54

MS7062Z-1-1R

- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Remarks:Compression type lock The amout is about 5mm Turn the insert 180° to open lock

L IP54

MS7063Z-1-1L



- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Remarks:Compression type lock The amout is about 5mm Turn the insert 180° to open lock

Product no.	Weight	Lot
MS7063Z-1-1L	140	200

RL IP54

MS7064Z-1-1



- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~5mm

Product no.	Weight	Lot
MS7064Z-1-1	78	200



Product no.	Weight	Lot
MS7065Z-1-1	137.5	200



Dimensions				Product No	Weight	Lot
H1	16	H2	24	MS7066Z-1-1	47.5	400
	25		33	MS7067Z-1-1	43.5	400

RL IP54

MS7066Z-1-1

MS7067Z-1-1

- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~4mm

RL IP54

MS7068Z-1-1



- Material:Zinc die-casting body and insert steel cam
- Finish:Electrophoresis Black
- Panel thickness:1~5mm

Product no.	Weight	Lot
MS7068Z-1-1	62.5	400

RL IP54

MS7069Z-1-1



Product no.	Weight	Lot
MS7069Z-1A-1	67.8	400

RL IP54

MS7069Z-1A-1

- Material:Zinc die-casting body and insert steel cam
- Finish Bright chrome plating
- Panel thickness:1~4mm

RL

MS7069Z-1-1



- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~4mm

Product no.	Weight	Lot
MS7069Z-1-1	46	400



Product no.	Weight	Lot
MS707	120	300

RL Water Proof

K7010-11

MS707

- Material:Zinc die-casting body zinc plating insert
- Finish: Bright chrome plating
- Panel thickness:1~5mm

IP54

MS7070Z-1-1

- Material:zinc alloy for the housing, cylinder and screw.
- Finish:matt black for the body, blue-white zinc plating for the accessories.
- Panel thickness:1-4mm.



Product no.	Weight	Lot
MS7070Z-1-1	13.6	400



Product no.	Weight	Lot
MS7072Z-1-1	126.3	200

RL IP54

MS7072Z-1-1

- Material:zinc alloy for the housing, handle and cylinder, steel for the cam.
- Finish:bright chrome for the body, blue-whitezinc plating for the accessories.
- Panel thickness:1~8mm.
- Remark:with K333 keys.

RL IP54

MS7071Z-1-1

- Material:Zinc die-casting body and insert steel cam
- Finish Bright chrome plating
- Panel thickness:1~8mm
- Remarks:Compression type lock The amout is about 5mm
- Turn the insert 180° to open lock



Product no.	Weight	Lot
MS7071Z-1-1	122.1	200



Product no.	Weight	Lot
MS7074Z-1-1	48.5	

RL

MS7074Z-1-1

- Material: Zinc die-casting body steel cam
- Finish:Bright chrome plating
- Panel:thickness:1~5mm

RL IP54 INOX AISI 3..

MS7075S-1-1



- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm
- Remark: Cam Cutout □8x8

Product no.	Weight	Lot
MS7075S-1	99.5	200



Product no.	Weight	Lot
MS7077Z-1-1	89.5	500

RL IP54 Water Proof

MS7077Z-1-1

- Material: Zinc alloy housing , nut; brass insert; steel cam
- Finish: Bright chrome plating
- Panel thickness: 1~4mm

RL IP54 Water Proof

MS7076Z-1-1



- Material: Zinc alloy
- Finish: Black powder coated housing,Bright chrome plated insert.
- Panel thickness: 2mm

Product no.	Weight	Lot
MS7076Z-1-1	110.5	200





Product no.	Weight	Lot
MS708-1-1	45.6	500

RL IP54

MS708-1-1

- Material:Zinc die-casting body key and nut, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~4mm

RL

MS710



Cut Out



- Material:Zinc die-casting body steel nut and key
- Finish: Bright chrome plating
- Panel thickness:0.5~4mm

Product no.	Weight	Lot
MS710	48	500





Cut Out



Product no.	Weight	Lot
MS711-2-1	76	300

RL

K7040-05

MS711-2-1

- Material:Zinc die-casting body Nut, PA pull-tab,Zinc plating cam
- Finish: Black powder coated
- Panel thickness:1~8mm

RL IP54



K7030-07

MS711-1-1L



Cut Out



- Material:Zinc die-casting body and key,PA-6pull-tab, Zinc plating cam、 fixing parts;
- Finish: Bright chrome plating
- Panel thickness:1.5~8mm
- Remark: compression latch 6mm pull-up

Product Number											
Black powder coated						Bright chrome plating					
open by turn left	Weight	Lot	open by turn right	Weight	Lot	open by turn left	Weight	Lot	open by turn right	Weight	Lot
MS711-1-1L.3	95.5	200	MS711-1-1R.3	98.5	200	MS711-1-1L.1	95.5	200	MS711-1-1R.1	98.5	200
MS711-4-1L.3	98.5	200				MS711-4-1L.3	98.5	200			





Cut Out



Product no.	Weight	Lot
MS711-3-1	34.5	300

RL

MS711-3-1

- Material:Zinc die-casting body,Nut, PA pull-tab, Zinc plating cam
- Finish: Black powder coated
- Panel thickness:1~4mm

RL IP54 Water Proof

MS711-5-1



- Material:Zinc die-casting body steel cam
- Finish Black powder coated
- Panel thickness:1~8mm
- Remarks:Compression lock 5mm Pull-up

Product no.	Weight	Lot
MS711-5-1	110.5	200







Product Number		Weight	Lot
Slot insert	MS713-1	42	200
Triangular insert	MS713-3	44.5	200

RL

K7030-07

MS713-3

- Material:Zinc die-casting body, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~5mm
- Remark:compression lock,3mm pull up

RL

K7030-07

MS712-1



- Material:Zinc die-casting body, Zinc plating steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Remark:compression lock,6mm pull up

Dimensions		Product Number	Weight	Lot
A	B			
22	19.5	MS712-1	115	200
21	19	MS712-2	140	200



Product no.	Weight	Lot
MS714		200

RL

MS714

- Material:zinc die-casting body,insert
- M.S. Zinc plating cam
- Panel thickness:1-35mm

RL

MS715–1–1

MS715–1–2





- Material:Zinc die–casting housing and insert, Zinc plating Screw Bolt
- Finish: Black powder coated
- Panel thickness:1~8mm

Product no.	Weight	Lot
MS715–1–1	45	500
MS715–1–2	50	500





Product no.	Weight	Lot
MS718	71.5	200

RL

K7030–07

MS718

- Material:Zinc die–casting body Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~6mm

RL

K7040–01

MS717–4





- Material:Zinc die–casting body,Nut and Key ,Zinc plating cam
- Finish: Black powder coated
- Panel thickness:1~5mm

Product Number		Weight	Lot
Square insert	MS717–4	88	200
Triangular insert	MS717–3	83	200





Dimensions		Product no.	Weight	Lot
L1	L2			
39.5	41	MS719–1	192	200
37.5	39	MS719–2	159.5	200

RL



K7010–14

MS719–1

- Material:Zinc die–casting body,Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~5mm

RL

MS720–1–2

MS720–1–3





Insert	Product no.	Weight	Lot
double bit insert	MS720–1–2	130	300
triangular insert △ 10.2	MS720–1–3	120	300
square insert □ 7	MS720–1–4	125	300

- Material:Zinc die–casting body,nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~5m
- Remark: cam cutout □8 x 8





Product no.	Weight	Lot
MS722	80.5	200

RL Water Proof

MS722

- Material:Zinc die–casting body, PA knob, Zinc plating nut and
- Finish: black
- Panel thickness:1~5mm

RL IP54 Water Proof

K333

MS721





Product Number		Weight	Lot
Bright chrome plating	MS721.1	87	200
Black powder coated	MS721.3	87	200

- Material:Zinc die–casting body, Zinc plating nut and cam
- Finish: Bright chrome plating Black powder coated
- Panel thickness:1~6mm









Product no.	Weight	Lot
MS722–2–1	112	200

RL IP54 Water Proof

MS722–2–1

- Material:Zinc die–casting body PA handle
- Finish:Matt black
- Pannel:thickness:1~6mm
- Remark:Cam cutout□8x8

RL

K7030-10

MS724



- Material:Zinc die-casting body, nut and key, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~5mm

Product no.	Weight	Lot
MS724	84	200



Product no.	Weight	Lot
MS726	62	300

RL

K7030-8

MS726

- Material:Zinc die-casting body,nut and key,stainless steel cam
- Panel thickness:1~5mm
- Finish: Bright chrome plating
- Remark:Auto reposition lock, cam cutout □8×8

RL

MS725



- Material:Zinc die-casting body, nut and key, Zinc plating cam
- Finish:Black powder coated
- Panel thickness:1~5mm

Product no.	Weight	Lot
MS725	91	300



Product no.	Weight	Lot
MS727	86.5	200

RL

MS727

- Material:Zinc die-casting body, Zinc plating cam,Protection of steel bolt shedding structure
- Finish: Black powder coated
- Panel thickness: 1~5mm

RL

MS728–1–1



- Material:Zinc die–casting body, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~25mm
- Remark: compression latch, 7mm pull–up

Product no.	Weight	Lot
MS728–1–1	105	200



Product no.	Dimensions	Weight	Lot
MS729–1–1	30	105	200
MS729–2–1	18	72	200

RL

MS729–1–1

MS729–2–1

- Material： Zinc alloy body, A3 cam
- Finish: Bright chorme plating
- Panel thickness: 1~10mm
- Remark: cutout □8×8

RL

MS728–2–1

MS728–2–2



- Material:Zinc die–casting body, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~15mm

Product no.	Weight	Lot
MS728–2–1	102	200
MS728–2–2		



Product no.	Weight	Lot
MS737–1–1	75	200

RL

MS737–1–1

- Material:Zinc die–casting.
- Finish:Gray chrome plating
- Panel thickness: 1~3mm

RL IP54

CH751

MS750–1





Cut Out

- Material: PA6 casting body.
- Finish: black
- Panel thickness:1~10mm

Product no.	Weight	Lot
MS750–1	39	500

RL

K7030–05

MS814



Cut Out



- Material:Zinc die–casting body, nut and key, Zinc plating cam;
- Panel thickness:1~4mm
- Remark: compression latch6mm pull–up

Product no.	Weight	Lot
MS814	183	100







Cut Out





		BH	L	
MS815–1A.S01/00	1D4500T30	0	45	0°
MS815–1A.S09/00	1D4504T30	4	45	90°
MS815–1A.S02/00	1D4508T30	8	45	
MS815–1A.S03/00	1D4510T30	10	45	
MS815–1A.S04/00	1D4512T30	12	45	
MS815–1A.S05/00	1D45F04T30	4	45	90°
MS815–1A.S06/00	1D45F08T30	8	45	
MS815–1A.S07/00	1D45F10T30	10	45	
MS815–1A.S08/00	1D45F12T30	12	45	

Product Number		Weight	Lot
Slot insert	MS815–1	78.5	200
Square insert	MS815–2	76	200
Triangular insert	MS815–3	72.5	200
Pentagonal inert	MS815–4	75	200
Slot insert	MS815–1A	94.2	200
Square insert	MS815–2A	90.6	200
Triangular insert	MS815–3A	90	200

RL

MS815–1

MS815–2

MS815–3

MS815–4

MS815–1A

MS815–2A

MS815–3A

- Material: zinc alloy lock, lock shell, carbon steel Lock plate, not embroidered shrapnel
- Finish: sand grain black, sandblasting bright plating chromium
- Remarks: 90 ° rotation to achieve open or Locking.
- Panel thickness: 1 ~ 10 mm

RL

MS816–1



- Material:Zinc die–casting body, Zinc plating cam;
- Finish: Black powder coated
- Panel thickness:1~8mm
- Remark:compression latch,7mm pull–up

Product no.	Weight	Lot
MS816–1	106.5	200



Product no.	Weight	Lot
MS816–3	130.5	200

RL

MS816–3

- Material:Zinc die–casting body, Zincplating stopping pad、cam
- Panel thickness:1~8mm
- Finish: Black powder coated
- Remark:Compression Latch.7mm pull–up

RL IP54

MS816–2



- Material:Zinc die–casting body, Zinc plating cam
- Finish: Black powder coated
- Panel thickness:1~8mm
- Remark:compression Latch,7mm pull–up

Product no.	Weight	Lot
MS816–2	110	200



Product no.	Weight	Lot
MS816–4	165	200

RL IP54

MS816–4

- Material:Zinc die–casting body, Zincplating stopping pad、cam
- Finish:Bright chrome plating
- Panel thickness:1~8mm
- Remark:Compression Latch.7mm pull–up

RL IP54

MS817–2A–1



- Material:zinc die–casting body, nut and key,M.S. Zinc plating cam;
- Panel thickness:1–18mm;
- Remark:compression latch, 6mm pull–up

Product no.	Weight	Lot
MS817–2A–1	146.5	200



Product no.	Weight	Lot
MS818–1	119	200

RL IP54

MS818–1

- Material: Zinc alloy housing and Cylinder, plastic tone
- Finish: Bright chrome plating
- Panel thickness:1~10mm



K7040–01

MS817–4



- Material:Zinc die–casting body，nut and key, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~18mm
- Remark:compression latch,6mm pull–up

Product Number		Weight	Lot
Triangular insert	MS817–3	125	200
Square insert	MS817–4	127	200



Product no.	Weight	Lot
MS818–2	64.5	250

RL IP54

MS818–2

- Material:Zinc die–casting body，nut,dead bolt
- Finish:Bright chrome plating
- Panel thickness:1~8mm

RL

K0200

MS819



Cut Out



- Material:Zinc die-casting body, nut,dead bolt
- Finish:Gray chrome plating
- Panel thickness:1~5m

Product no.	Weight	Lot
MS819	121.5	200



Cut Out



Product no.	Weight	Lot
MS-A-400	93.5	200
MS-A-400D	90	200

RL IP54

K8180

MS-A-400

MS-A-400D

- Material:Zinc die-casting body,Nut, Brass insert, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Remark:key combination:16

RL IP54

I

II

MS-A-172-1

MS-A-172-3





Cut Out



MS-A-172-1

Cut Out



MS-A-172-3



MS-A-172-1



MS-A-172-3

Product Number	Weight	Lot
MS-A-172-1	480	80
MS-A-172-3	252	200

- Material:Zinc die-casting body , nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1.5~8mm





Cut Out



Product no.	Weight	Lot
MS-A-401	145	200

RL

K7010-09

MS-A-401

- Material:Zinc die-casting body key, Zinc plating cam;nut
- Finish: Bright chrome plating.
- Panel thickness:1~5mm

RL

K7030-07

MS-A-402

K7010-09

MS-A-402T







Product Number		Weight	Lot
Triangular insert	MS-A-402	87.5	200
Double bit insert	MS-A-402T	132	200

- Material:Zinc die-casting body, Nut, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm







Product no.	Weight	Lot
MS-A-404	256	100

RL

K7010-09

MS-A-404

- Material:Zinc die-casting body,Nut and key, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm

RL

K8180

MS-A-403







Product no.	Weight	Lot
MS-A-403	96	200

- Material:Zinc die-casting body, Nut Brass insert, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm
- Remark:key combina tion:16







Dimensions		Product Number	Weight	Lot
H	H1			
30.5	38	MS-W400-1	72	500
20.5	28	MS-W400-2	65	500
16.5	24	MS-W400-3	60	500

RL IP54

MS-W400-2

- Material:Zinc die-casting body,Nut, Zinc plating cam,Brass key
- Finish:Bright chrome plating
- Panel thickness:1~10mm
- Remark:key combination:80

RL IP54

MS–W400–2A



Cut Out



Product no.	Weight	Lot
MS–W400–2A	42	500

- Material:Zinc die–casting body Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~10mm
- Remark:key combination:2000



Cut Out



Product no.	Weight	Lot
MS–W400–2D	67.5	500

RL IP54



MS–W400–2D

- Material:Zinc die–casting body,Nut Zinc plating cam,Brass key
- Finish: Bright chrome plating
- Panel thickness:1~12mm
- Remark:key combination:2000

RL IP54

MS–W400–2B



Cut Out



Product no.	Weight	Lot
MS–W400–2B	43.5	500

- Material:Zinc die–casting body,Nut, Zinc plating cam,Brass key
- Panel thickness:1~10mm
- Finish:Pocked chrome plating
- Remark:key combination:2000.







Cut Out



Product no.	Weight	Lot
MS–W400–6	67.5	500

RL IP54

MS–W400–6

- Material:Zinc die–casting
- Finish:Bright chrome plating
- Panel thickness:1~12mm